

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Industrial Water Supply – Issuance of Permission to draw at reduced rate of 5 MLD during 16th December to 30th June period of each year within the permitted quantity of 15 MLD – Modified orders – Issued.

IRRIGATION & CAD (REFORMS) DEPARTMENT

G.O.Ms.No. 39

Dated:31-07-2014.

Read the following:-

- 1) G.O.Ms.No.47, I&CAD(PW:Reforms) Deptt., dt:23.07.2012.
- 2) From the Managing Director, Gujarat State Petroleum Corporation Ltd., Lr.No.GSPC/E&C/OGT/12-13/GoAP/I&C/001,dt:03-10-2012.
- 3) Govt.Memo.No.27758/Reforms/A2/2012, dt:01.12.2012.
- 4) From the E.N.C.(Irr.), Hyd., Lr.No.ENC(I)/DCE-IV/OT(GDS)/AE12/IND/SWCC/Vol.2/GSPCS, dated:20.12.2013.

>><<

ORDER:

In the reference 1st read above, Permission was accorded for drawal of 15 MLD i.e., 5.50 million cum per annum of water between 1st July to 15th December every year from surplus water to be drawn from upstream side of S.A.C. Barrage i.e., river Godavari in favour of M/s. Gujarat State Petroleum Corporation Limited subject to certain conditions made therein.

2. In the reference 4th read above, based on the representation of the firm, the Engineer-in-Chief(Irrigation) has submitted proposals for modification of the orders issued vide reference 1st read above, duly allowing the firm to draw 5 MLD (2.04 C/S) of water from 16th December to 30th June within the permitted quantity of 15 MLD for un-interrupted operation of the OGT plant, subject to availability of sufficient inflows in River Godavari and without affecting the water supply to Rabi crop during the said period. The said drawl may be permitted up to June 2015 by which 90 days storage would be available and from 2016 onwards, the company may be permitted to draw water of 5 MLD from 16th March to 30th June as the available storage would be sufficient up to March.

3. Government after careful examination hereby restore the permission accorded duly modifying the orders issued vide reference 1st read above, that the firm to draw 5 MLD (2.04 C/S) of water from 16th December to 30th June within the permitted quantity of 15 MLD for un-interrupted operation of the OGT plant, subject to availability of sufficient inflows in River Godavari for the year 2014-2015.

4. The permission restored supra subject to confirmation of availability of sufficient flows in the river Godavari and all other conditions as given in G.O.Ms.No.47, I&CAD(PW:Reforms) Department, dated:23.07.2012 and without affecting the water supply to Rabi crop during this period.

P.T.O.,

5. The water royalty charges are likely to be revised by the Government from time to time and the industry shall pay the revised rates as fixed by the Government from time to time. Royalty charges should be paid every month and non-payment of royalty charges in any month would result in stoppage of water. The other terms and conditions mentioned in the reference 1st read above needs no change.

6. The Engineer-in-Chief(Irrigation), Hyderabad shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

ADITYA NATH DAS,
PRINCIPAL SECRETARY TO GOVERNMENT.

To

The Engineer-in-Chief(Irrigation), I&CAD Department,
Jalasoudha Buildings, Errum Munzil, Hyderabad.

Copy to:

The District Collector, East Godavari District.

The Superintending Engineer, Irrigation Circle, Dowlaiswaram.

The Managing Director, M/s. Gujarat State Petroleum Corporation Ltd.,
through the Engineer-in-Chief(Irrigation), Hyderabad.

The P.S. to Secretary to Hon'ble C.M.

The P.S. to Minister, ICAD & WRM.

The P.S. to Principal Secretary to Government(AD), I&CAD Deptt.

SF/SC.

// FORWARDED :: BY ORDER//

SECTION OFFICER.